






>> Features

- Made of polypropylene, autoclavable
- Available in 10µl, 200µl and 1000µl sizes, suitable for standard manual and electronic pipettes
- 10µl and 200µl tips are graduated, 200µl tips have a beveled point design that reduces sample retention
Extended 1000µl tips facilitate pipetting from deep or narrow containers
- RNase & DNase free, non-pyrogenic
- Available in racked package (sterile) and bulk package (non-sterile)



Dimensions = mm


Cat #	Volume	Color	Sterile	Unit	Total
20-0010	10µl	Natural	No	1,000 /Bag, 2 Bags /Pack, 5 Packs/Case	10000 /Case
21-0010	10µl	Natural	Yes	96 /Rack, 10 Racks/Pack, 10 Packs/Case	9600 /Case
20-0200	200µl	Yellow	No	1,000 /Bag/Pack, 10 Packs/Case	10000 /Case
21-0200	200µl	Yellow	Yes	96 /Rack, 10 Racks/Pack, 10 Packs/Case	9600 /Case
20-1000	1000µl	Blue	No	1,000 /Bag/Pack, 10 Packs/Case	10000 /Case
21-1000	1000µl	Blue	Yes	100 /Rack, 6 Racks/Pack, 10 Packs/Case	6000 /Case
20-1250	1000µl Extended	Natural	No	1,000 /Bag/Pack, 10 Packs/Case	10000 /Case
21-1250	1000µl Extended	Natural	Yes	96 /Rack, 6 Racks/Pack, 10 Packs/Case	5760 /Case
20-1251	1000µl Extra-Long	Blue	No	1,000 /Bag/Pack, 10 Packs/Case	10000 /Case

Filter Tips




>> Features

- Tips are made of medical grade polypropylene, and filters are made of highly hydrophobic UHMWPE
- Filters prevent cross-contamination and damage to samples, ensure accurate and precise sample aspiration, and protect the user by preventing sample liquid or vapor from entering the pipette body
- Standard filter tips and low retention filter tips available in all sizes
- Low retention treated tips undergo a coating-free treatment and will not contaminate samples
- All filter tips are autoclavable
- Available in racked package (sterile) and bulk package (non-sterile)
- RNase & DNase free, non-pyrogenic



Small and uniform filter pore size ensures the accuracy and precision of sample aspiration




10µl Dimensions=mm

Cat #	Volume	Color	Sterile	Low Retention	Unit	Total
22-0010	10µl	Natural	No	No	1,000 /Bag, 2 Bags/Pack, 5 Packs /Case	10000 /Case
22-0011	10µl	Natural	No	Yes	1,000 /Bag, 2 Bags/Pack, 5 Packs /Case	10000 /Case
23-0010	10µl	Natural	Yes	No	96 /Rack, 10 Racks/Pack, 10 Packs/Case	9600 /Case
23-0011	10µl	Natural	Yes	Yes	96 /Rack, 10 Racks/Pack, 10 Packs/Case	9600 /Case
22-0200	200µl	Natural	No	No	1,000 /Bag/Pack, 10 Packs /Case	10000 /Case
22-0201	200µl	Natural	No	Yes	1,000 /Bag/Pack, 10 Packs /Case	10000 /Case
23-0200	200µl	Natural	Yes	No	96 /Rack, 10 Racks/Pack, 10 Packs/Case	9600 /Case
23-0201	200µl	Natural	Yes	Yes	96 /Rack, 10 Racks/Pack, 10 Packs/Case	9600 /Case
22-1000	1000µl	Natural	No	No	1,000 /Bag/Pack, 10 Packs /Case	10000 /Case
22-1001	1000µl	Natural	No	Yes	1,000 /Bag/Pack, 10 Packs /Case	10000 /Case
23-1000	1000µl	Natural	Yes	No	96 /Rack, 6 Racks/Pack, 10 Packs/Case	5760 /Case
23-1001	1000µl	Natural	Yes	Yes	96 /Rack, 6 Racks/Pack, 10 Packs/Case	5760 /Case



>> Features

- Made in Bioclean room
- Extremely straight low retention tips ensure accurate and precise sample
- Extra-long tips: 10µl with max volume 20µl, 200µl with max volume 300µl, and 1000µl with max volume 1250µl
- Racked filter tips, sterile
- DNase & RNase free, non-pyrogenic



Cat #	Volume	Color	Sterile	Low Retention	Unit	Total
23-0010S	10µl Extended	Natural	Yes	No	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0011S	10µl Extended	Natural	Yes	Yes	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0020S	20µl	Natural	Yes	No	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0021S	20µl	Natural	Yes	Yes	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0050S	50µl	Natural	Yes	No	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0051S	50µl	Natural	Yes	Yes	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0100S	100µl	Natural	Yes	No	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0101S	100µl	Natural	Yes	Yes	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0200S	200µl Extended	Natural	Yes	No	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-0201S	200µl Extended	Natural	Yes	Yes	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-1000S	1000µl Extended	Natural	Yes	No	96 Pieces/Rack, 50 Racks/Case	4800 /Case
23-1001S	1000µl Extended	Natural	Yes	Yes	96 Pieces/Rack, 50 Racks/Case	4800 /Case

Pipet Tip Compatibility

Pipette Brand		Axygen Axyet (Single channel)						Axygen Axyet (Multichannel)				Nichiyu/Oxford Benchmate			Biohit Proline (Single channel)				
Model / Range		0.1-2µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	1-10µl	5-50µl	20-200µl	50-300µl	0.5-10µl	2-20µl	10-50µl	0.2-10µl	5-100µl	10-250µl	10-500µl	50-1000µl
Volume	Product No.	Universal Fit Filter Tips																	
0.5-10ul	20-0010	✓	✓					✓				✓			✓			✓	
	21-0010	✓	✓					✓				✓			✓			✓	
1-200ul	20-0200			✓	✓	✓	✓		✓	✓	✓		✓	✓		✓	✓		
	21-0200			✓	✓	✓	✓		✓	✓	✓		✓	✓		✓	✓		
100-1000ul	20-1000																	✓	✓
	21-1000																	✓	✓
100-1250ul	20-1250																	✓	✓
	20-1251																	✓	✓
	21-1250																	✓	✓

Pipette Brand		Biohit Proline (Multichannel)			Biohit e-line (Single channel)				Biohit e-line (Multi chaanel)			Biohit m-line (Single channel)			Biohit m-line (Multichannel)				
Model / Range		0.2-10µl	5-100µl	25-250µl	1-10µl	5-120µl	10-300µl	50-1000µl	0.2-10µl	5-120µl	10-300µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	0.5-10µl	5-100µl	30-300µl
Volume	Product No.	Universal Fit Filter Tips																	
0.5-10ul	20-0010	✓			✓				✓								✓		
	21-0010	✓			✓				✓								✓		
1-200ul	20-0200		✓	✓		✓	✓			✓	✓		✓	✓	✓			✓	✓
	21-0200		✓	✓		✓	✓			✓	✓		✓	✓	✓			✓	✓
100-1000ul	20-1000							✓								✓			
	21-1000							✓								✓			
100-1250ul	20-1250							✓								✓			
	20-1251							✓								✓			
	21-1250							✓								✓			

Pipette Brand		Capp Aero (Multichannel)						BrandTech Transferpette (Single channel)							MatrixImpact/Impact(s/mc)				
Model / Range		0.2-2µl	0.5-10µl	5-50µl	10-100µl	25-200µl	50-300µl	100-1000µl	0.1-1µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	25-250µl	100-1000µl	20-200µl	5-100µl	30-300µl
Volume	Product No.	Universal Fit Filter Tips																	
0.5-10ul	20-0010	✓	✓						✓	✓									
	21-0010	✓	✓						✓	✓									
1-200ul	20-0200			✓	✓	✓	✓					✓	✓	✓	✓		✓		
	21-0200			✓	✓	✓	✓					✓	✓	✓	✓		✓		
100-1000ul	20-1000							✓								✓			
	21-1000							✓								✓			
100-1250ul	20-1250							✓								✓			✓
	20-1251							✓								✓			✓
	21-1250							✓								✓			✓

Pipet Tip Compatibility

Pipette Brand		BrandTech Transferpette (Multichannel)						Rainin EDP3 (Single channel)						Rainin Latch Mode					
Model / Range		0.5-10µl	2-20µl	2.5-25µl	5-50µl	10-100µl	20-200µl	30-300µl	E-MIC-10, 0.5-10µl	E2-25, 2.5-25µl	E2-100, 10-100µl	E2-250, 25-250µl	E2-1000, 100-1000µl	R2, 0.1-2µl	R10, 0.2-10µl	R20, 2-20µl	R100, 10-100µl	R200, 20-200µl	R1000, 100-1000µl
Volume	Product No.	Universal Fit Filter Tips																	
0.5-10ul	20-0010	✓	✓						✓					✓	✓				
	21-0010	✓	✓						✓					✓	✓				
1-200ul	20-0200			✓	✓	✓	✓			✓	✓	✓				✓	✓	✓	
	21-0200			✓	✓	✓	✓			✓	✓	✓				✓	✓	✓	
100-1000ul	20-1000							✓					✓						✓
	21-1000							✓					✓						✓
100-1250ul	20-1250							✓					✓						✓
	20-1251							✓					✓						✓
	21-1250							✓					✓						✓

Pipette Brand		Labnet Labpette (Single channel)						Labnet Labpette (Multichannel)				Labnet Biopette E (Single channel)				Labnet Biopette E (Multichannel)			
Model / Range		0.1-2µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	1-10µl	5-50µl	20-200µl	50-300µl	0.5-10µl	2-20µl	10-200µl	100-1000µl	0.5-10µl	2-20µl	10-200µl	100-1000µl
Volume	Product No.	Universal Fit Filter Tips																	
0.5-10ul	20-0010	✓	✓					✓				✓	✓			✓	✓		
	21-0010	✓	✓					✓				✓	✓			✓	✓		
1-200ul	20-0200			✓	✓	✓			✓	✓	✓			✓				✓	
	21-0200			✓	✓	✓			✓	✓	✓			✓				✓	
100-1000ul	20-1000						✓								✓				✓
	21-1000						✓								✓				✓
100-1250ul	20-1250						✓								✓				✓
	20-1251						✓								✓				✓
	21-1250						✓								✓				✓

Pipette Brand		Eppendorf Electronic				Socorex Calibra/Accura (Single channel)							VWR AND VWR Signature(Multichannel)				Rainin EDP3 (Multichannel)			
Model / Range		0.5-10µl	5-100µl	2-200µl	50-1000µl	0.1-2µl	0.2-2µl	0.5-10µl	1-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	1-10µl	5-50µl	20-200µl	50-300µl	EP-M8-10, 0.5-10µl	EP-M8250, 10-250µl	P200-M8, 20-200µl
Volume	Product No.	Universal Fit Filter Tips																		
0.5-10ul	20-0010	✓				✓	✓	✓	✓					✓				✓		
	21-0010	✓				✓	✓	✓	✓					✓				✓		
1-200ul	20-0200		✓	✓						✓	✓	✓			✓	✓	✓		✓	✓
	21-0200		✓	✓						✓	✓	✓			✓	✓	✓		✓	✓
100-1000ul	20-1000				✓								✓							✓
	21-1000				✓								✓							
100-1250ul	20-1250				✓								✓							
	20-1251				✓								✓							
	21-1250				✓								✓							

Pipet Tip Compatibility

Pipette Brand		VWR AND VWR Signature (Single channel)								Socorex Calibra/Accura (Multichaaanel)					EppendorfReference (single channel) (multichannel)				
Model / Range		0.1-2µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	50-250µl	100-1000µl	1-10µl	5-50µl	10-100µl	20-200µl	50-200µl	0.1-10µl	2-20µl	10-100µl	20-200µl	100-1000µl
Volume	Product No.	Universal Fit Filter Tips																	
0.5-10ul	20-0010	✓	✓							✓					✓				
	21-0010	✓	✓							✓					✓				
1-200ul	20-0200			✓	✓	✓	✓	✓			✓	✓	✓	✓		✓	✓	✓	
	21-0200			✓	✓	✓	✓	✓			✓	✓	✓	✓		✓	✓	✓	
100-1000ul	20-1000								✓							✓	✓	✓	
	21-1000								✓								✓	✓	
100-1250ul	20-1250								✓										✓
	20-1251								✓										✓
	21-1250								✓										✓

Pipette Brand		Eppendorf Research (singlechannel)						Eppendorf Research (multichannel)						Thermo Scientif Finnpiptette (single channel)					
Model / Range		0.1-2.5µl	0.5-10µl	2-20µl	10-100µl	25-200µl	100-1000µl	0.5-10µl	5-100µl	50-100µl	20-300µl	30-300µl	50-1200µl	0.2-10µl	0.5-10µl	5-40µl	40-200µl	100-1000µl	200-1000µl
Volume	Product No.	Universal Fit Filter Tips																	
0.5-10ul	20-0010	✓	✓					✓						✓	✓				
	21-0010	✓	✓					✓						✓	✓				
1-200ul	20-0200				✓	✓				✓	✓	✓	✓			✓	✓		
	21-0200				✓	✓				✓	✓	✓	✓			✓	✓		
100-1000ul	20-1000				✓	✓				✓	✓	✓	✓			✓	✓		
	21-1000						✓						✓					✓	✓
100-1250ul	20-1250						✓						✓					✓	✓
	20-1251						✓											✓	✓
	21-1250						✓											✓	✓

Pipette Brand		Thermo Scientif Finnpiptette (multichannel)		Gilson Pipetma (single channel)					
Model / Range		5-50µl	50-300µl	P20, 0.1-2µl	P10, 0.2-10µl	P20, 2-20µl	P100, 10-100µl	P200, 20-200µl	P1000, 100-1000µl
Volume	Product No.	Universal Fit Filter Tips							
0.5-10ul	20-0010			✓	✓				
	21-0010			✓	✓				
1-200ul	20-0200	✓	✓			✓	✓	✓	
	21-0200	✓	✓			✓	✓	✓	
100-1000ul	20-1000	✓	✓			✓	✓	✓	
	21-1000								✓
100-1250ul	20-1250								✓
	20-1251								✓
	21-1250								✓

Pipet Tip Compatibility

Pipette Brand		Eppendorf Research Plus						Gilson Pipetman(PG)						Gilson Pipetman(PN)						Gilson Pipetman(PL)					
Model / Range		0.1-2.5µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	P2, 0.2-2µl	P10, 1-10µl	P20, 2-20µl	P100, 10-100µl	P200, 20-200µl	P1000, 100-1000µl	P2, 0.2-2µl	P10, 1-10µl	P20, 2-20µl	P100, 10-100µl	P200, 20-200µl	P1000, 100-1000µl	P2, 0.2-2µl	P10, 1-10µl	P20, 2-20µl	P100, 10-100µl	P200, 20-200µl	P1000, 100-1000µl
Volume	Product No.	Universal Fit Filter Tips																							
0.5-10ul	22-0010S	✓	✓					✓	✓					✓	✓					✓	✓				
	22-0011S	✓	✓					✓	✓					✓	✓					✓	✓				
1-20ul	22-0020S			✓						✓						✓						✓			
	22-0021S			✓						✓						✓						✓			
1-50ul	22-0050S				✓						✓	✓					✓	✓					✓	✓	
	22-0051S				✓						✓	✓					✓	✓					✓	✓	
1-100ul	22-0100S				✓						✓	✓					✓	✓					✓	✓	
	22-0101S				✓						✓	✓					✓	✓					✓	✓	
1-300ul	22-0200S					✓						✓						✓						✓	
	22-0201S					✓						✓						✓						✓	
100-1000ul	22-1000S						✓						✓						✓						✓
	22-1001S						✓						✓						✓						✓

Pipette Brand		Thermo Finnpiptette (F1)										Thermo Finnpiptette (F2)										Thermo Finnpiptette (F3)										
Model / Range		0.2-2µl	1-10µl	1-10µl(µTip)	2-20µl	2-20µl(µTip)	5-50µl	5-50µl(µTip)	10-100µl	20-200µl	30-300µl	100-1000µl	0.2-2µl(µTip)	1-10µl	1-10µl(µTip)	2-20µl	2-20µl(µTip)	5-50µl	5-50µl(µTip)	10-100µl	20-200µl	100-1000µl	0.2-2µl	1-10µl	1-10µl(µTip)	2-20µl	2-20µl(µTip)	5-50µl	5-50µl(µTip)	10-100µl	20-200µl	100-1000µl
Volume	Product No.	Universal Fit Filter Tips																														
0.5-10ul	22-0010S	✓	✓										✓										✓	✓								
	22-0011S	✓	✓										✓										✓	✓								
1-20ul	22-0020S				✓											✓										✓						
	22-0021S				✓											✓									✓							
1-50ul	22-0050S					✓			✓	✓							✓			✓	✓						✓			✓	✓	
	22-0051S					✓			✓	✓							✓			✓	✓						✓			✓	✓	
1-100ul	22-0100S					✓			✓	✓							✓			✓	✓						✓			✓	✓	
	22-0101S					✓			✓	✓							✓			✓	✓						✓			✓	✓	
1-300ul	22-0200S										✓								✓	✓	✓									✓	✓	
	22-0201S										✓									✓	✓									✓	✓	
100-1000ul	22-1000S											✓									✓											✓
	22-1001S											✓									✓											✓

Pipet Tip Compatibility

Pipette Brand		Thermo Finnpiipette (F1)								Thermo Finnpiipette (F2)								Thermo Finnpiipette (F3)									
Model / Range		0.1-2.5µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	50-300µl	100-1000µl	0.1-3µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	30-300µl	100-1000µl	0.1-1µl	0.1-2.5µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	30-300µl	100-1000µl	
Volume	Product No.	Universal Fit Filter Tips																									
0.5-10ul	22-0010S	✓	✓							✓	✓								✓	✓	✓						
	22-0011S	✓	✓							✓	✓								✓	✓	✓						
1-20ul	22-0020S			✓								✓								✓							
	22-0021S			✓								✓									✓						
1-50ul	22-0050S				✓	✓	✓	✓					✓	✓	✓	✓						✓	✓	✓	✓		
	22-0051S				✓	✓	✓	✓					✓	✓	✓	✓						✓	✓	✓	✓		
1-100ul	22-0100S					✓	✓	✓						✓	✓	✓							✓	✓	✓		
	22-0101S					✓	✓	✓						✓	✓	✓							✓	✓	✓		
1-300ul	22-0200S						✓	✓							✓	✓								✓	✓		
	22-0201S						✓	✓							✓	✓								✓	✓		
100-1000ul	22-1000S								✓								✓										✓
	22-1001S								✓								✓									✓	


Pipette Brand		Eppendorf Research Plus						Gilson Pipetman(PG)						Gilson Pipetman(PN)						Gilson Pipetman(PL)					
Model / Range		0.1-2.5ul	0.5-10ul	2-20ul	10-100ul	20-200ul	100-1000ul	P2, 0.2-2ul	P10, 1-10ul	P20, 2-20ul	P100, 10-100ul	P200, 20-200ul	P1000, 100-1000ul	P2, 0.2-2ul	P10, 1-10ul	P20, 2-20ul	P100, 10-100ul	P200, 20-200ul	P1000, 100-1000ul	P2, 0.2-2ul	P10, 1-10ul	P20, 2-20ul	P100, 10-100ul	P200, 20-200ul	P1000, 100-1000ul
Volume	Product No.	Universal Fit Filter Tips																							
0.5-10ul	23-0010S	✓	✓					✓	✓					✓	✓					✓	✓				
	23-0011S	✓	✓					✓	✓					✓	✓					✓	✓				
1-20ul	23-0020S			✓						✓						✓						✓			
	23-0021S			✓						✓						✓						✓			
1-50ul	23-0050S				✓						✓	✓					✓	✓					✓	✓	
	23-0051S				✓						✓	✓					✓	✓					✓	✓	
1-100ul	23-0100S				✓						✓	✓					✓	✓					✓	✓	
	23-0101S				✓						✓	✓					✓	✓					✓	✓	
1-300ul	23-0200S					✓						✓						✓						✓	
	23-0201S					✓						✓						✓						✓	
100-1000ul	23-1000S						✓						✓						✓						✓
	23-1001S						✓						✓						✓						✓

Pipet Tip Compatibility

Pipette Brand		Thermo Finnpiquette (F1)										Thermo Finnpiquette (F2)										Thermo Finnpiquette (F3)										
Model / Range		0.2-2ul	1-10ul	1-10ul(µTip)	2-20ul	2-20ul(µTip)	5-50ul	5-50ul(µTip)	10-100ul	20-200ul	30-300ul	100-1000ul	0.2-2ul(µTip)	1-10ul	1-10ul(µTip)	2-20ul	2-20ul(µTip)	5-50ul	5-50ul(µTip)	10-100ul	20-200ul	100-1000ul	0.2-2ul	1-10ul	1-10ul(µTip)	2-20ul	2-20ul(µTip)	5-50ul	5-50ul(µTip)	10-100ul	20-200ul	100-1000ul
Volume	Product No.	Universal Fit Filter Tips																														
0.5-10ul	23-0010S	✓	✓											✓										✓	✓							
	23-0011S	✓	✓											✓										✓	✓							
1-20ul	23-0020S				✓											✓											✓					
	23-0021S				✓											✓											✓					
1-50ul	23-0050S						✓		✓	✓								✓		✓	✓							✓		✓	✓	
	23-0051S						✓		✓	✓								✓		✓	✓							✓		✓	✓	
1-100ul	23-0100S						✓		✓	✓								✓		✓	✓							✓		✓	✓	
	23-0101S						✓		✓	✓								✓		✓	✓							✓		✓	✓	
1-300ul	23-0200S										✓										✓	✓								✓	✓	
	23-0201S										✓										✓	✓								✓	✓	
100-1000ul	23-1000S											✓										✓									✓	
	23-1001S											✓										✓									✓	

Pipette Brand		BIOHIT Proline								BIOHIT Proline (Plus)								BRAND								
Model / Range		0.1-2.5ul	0.5-10ul	2-20ul	5-50ul	10-100ul	20-200ul	50-300ul	100-1000ul	0.1-3ul	0.5-10ul	2-20ul	5-50ul	10-100ul	20-200ul	30-300ul	100-1000ul	0.1-1ul	0.1-2.5ul	0.5-10ul	2-20ul	5-50ul	10-100ul	20-200ul	30-300ul	100-1000ul
Volume	Product No.	Universal Fit Filter Tips																								
0.5-10ul	23-0010S	✓	✓							✓	✓							✓	✓	✓						
	23-0011S	✓	✓							✓	✓							✓	✓	✓						
1-20ul	23-0020S			✓								✓									✓					
	23-0021S			✓								✓								✓						
1-50ul	23-0050S				✓	✓	✓	✓					✓	✓	✓	✓						✓	✓	✓	✓	
	23-0051S				✓	✓	✓	✓					✓	✓	✓	✓						✓	✓	✓	✓	
1-100ul	23-0100S					✓	✓	✓						✓	✓	✓							✓	✓	✓	
	23-0101S					✓	✓	✓						✓	✓	✓							✓	✓	✓	
1-300ul	23-0200S						✓	✓							✓	✓								✓	✓	
	23-0201S						✓	✓							✓	✓								✓	✓	
100-1000ul	23-1000S								✓								✓									✓
	23-1001S								✓								✓									✓


LTS Pipette Tips



>> Features


- Tips are made of medical grade polypropylene, and filters are made of highly hydrophobic UHMWPE
- 20µl, 200µl and 1000µl tips
- Filters prevent cross-contamination and damage to samples, ensure accurate and precise sample aspiration, and protect the user by preventing sample liquid or vapor from entering the pipette body
- Low-retention tips undergo a coating-free treatment and will not contaminate samples
- User-friendly labels on tip racks enable convenient usage
- DNase & RNase Free, non-pyrogen
- Sterile SAL 10^{-6}

User-friendly labels on tip racks enable convenient usage



Cat #	Volume	Sterile	Low Retention	Unit
R23-0020	20µl	Yes	No	96 Tips/Rack, 50 Racks/Case
R23-0021	20µl	Yes	Yes	96 Tips/Rack, 50 Racks/Case
R23-0200	200µl	Yes	No	96 Tips/Rack, 50 Racks/Case
R23-0201	200µl	Yes	Yes	96 Tips/Rack, 50 Racks/Case
R23-1000	1000µl	Yes	No	96 Tips/Rack, 50 Racks/Case
R23-1001	1000µl	Yes	Yes	96 Tips/Rack, 50 Racks/Case

Non-filtered tips also available.




>> Features

- Made from 100% virgin polypropylen, without filters
- Universal Fit Tips: 10µl, 200µl, 200µl extra-long and 1000µl; LTS Tips: 10µl, 200µl and 1000µl
- Low Retention tips are also available
- Refill design saves storage space efficiently
- Made in certified 100,000 cleanroom; RNase & DNase, DNA, pyrogen, and ATP free
- Sterile SAL 10⁻⁶

Safety and stability design

Smooth link

Diamond design of rack bottom



Cat #	Description	Unit
21-R0010S	0.1 to 10µl, universal fit tips, refill pack, 32mm, sterile	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
21-R0011S	0.1 to 10µl, universal fit tips, refill pack, 32mm, sterile, low retention	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
21-R0200S	1 to 200µl, universal fit tips, refill pack, yellow, sterile, 51mm	96 Tips/Rack, 12 Racks/Unit, 10 Units/Case
21-R0201S	1 to 200µl, universal fit tips, refill pack, clear, 51mm, sterile, low retention	96 Tips/Rack, 12 Racks/Unit, 10 Units/Case
21-R0200ES	1 to 300µl, universal fit tips, extra long design, refill pack, 60mm, sterile	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
21-R0201ES	1 to 300µl, extra long design, refill pack, 60mm, sterile, low retention	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
21-R1000S	100 to 1000µl, extra long design, refill pack, blue, 102mm, sterile	96 Tips/Rack, 8 Racks/Unit, 10 Units/Case
21-R1001S	100 to 1000µl, extra long design, refill pack, clear, 102mm, low retention, sterile	96 Tips/Rack, 8 Racks/Unit, 10 Units/Case
R21-R0020S	20µl LTS tip, refill pack, sterile	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
R21-R0021S	20µl LTS tip, refill pack, sterile, low retention	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
R21-R0200S	200µl LTS tip, refill pack, sterile	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
R21-R0201S	200µl LTS tip, refill pack, sterile, low retention	96 Tips/Rack, 10 Racks/Unit, 10 Units/Case
R21-R1000S	1000µl LTS tip, refill pack, sterile	96 Tips/Rack, 8 Racks/Unit, 10 Units/Case
R21-R1001S	1000µl LTS tip, refill pack, sterile, low retention	96 Tips/Rack, 8 Racks/Unit, 10 Units/Case