



Integrin beta 7 Monoclonal Antibody (FIB504), PE-Cyanine7, eBioscience™

Product Details	
Size	100 Tests
Species Reactivity	Human, Mouse
Published Species	Human, Mouse
Host/Isotype	Rat / IgG2a, kappa
Recommended Isotype Control	Rat IgG2a kappa Isotype Control (eBR2a), PE-Cyanine7, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	FIB504
Conjugate	PE-Cyanine7
Excitation/Emission Max	569/780 nm
Form	Liquid
Concentration	5 μL/Test
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.2% BSA
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_2573481

Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	5 μL (0.125 μg)/test	3 Publications

Product Specific Information

Description: The FIB504 monoclonal antibody reacts with human and mouse integrin beta 7. Integrin beta 7 is a 130 kD glycoprotein which associates with integrin alpha 4 (CD49d) to form the alpha 4 beta 7 integrin LPAM-1, expressed on intraepithelial lymphocytes. It also associates with alpha E (CD103) to form the alpha E beta 7 integrin HML-1, expressed on T cells adjacent to mucosal epithelium and intraepithelial lymphocytes. Main ligands for integrin alpha 4 beta 7 include VCAM-1 (CD106), MAdCAM-1 and fibronectin, while the main ligand of integrin alpha E beta 7 is E-cadherin (CD324). Integrin beta 7 plays an important role in the adhesion of leukocytes to endothelial cells promoting the transmigration of leukocytes to extravascular spaces during the inflammatory response. The FIB504 antibody has been reported to have blocking activity.

Applications Reported: This FIB504 antibody has been reported for use in flow cytometric analysis.

Applications Tested: This FIB504 antibody has been pre-titrated and tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at 5 μ L (0.125 μ g) per test. A test is defined as the amount (μ g) of antibody that will stain a cell sample in a final volume of 100 μ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test.

Light sensitivity: This tandem dye is sensitive to photo-induced oxidation. Please protect this vial and stained samples from light.


Fixation: Samples can be stored in IC Fixation Buffer (Product # 00-822-49) (100 µL of cell sample + 100 µL of IC Fixation


Buffer) or 1-step Fix/Lyse Solution (Product # 00-5333-54) for up to 3 days in the dark at 4°C with minimal impact on brightness and FRET efficiency/compensation. Some generalizations regarding fluorophore performance after fixation can be made, but clone specific performance should be determined empirically.

Excitation: 488-561 nm; Emission: 775 nm; Laser: Blue Laser, Green Laser, Yellow-Green Laser.

Filtration: 0.2 µm post-manufacturing filtered.

Product Images For Integrin beta 7 Monoclonal Antibody (FIB504), PE-Cyanine7, eBioscience™





Integrin beta 7 Antibody (25-5867-42) in Flow

Staining of normal human peripheral blood cells with Anti-Human CD3 APC (Product # 17-0037-42) and Rat IgG2a K Isotype Control PE-Cyanine7 (Product # 25-4321-82) (left) or Anti-Mouse/Human Integrin Beta 7 PE-Cyanine7 (right). Cells in the lymphocyte gate were used for analysis.

□3 References

Flow Cytometry (3)

iScience

Multimodal cartography of human lymphopoiesis reveals B and T/NK /ILC lineages are subjected to differential regulation.

"25-5867-42 was used in Flow Cytometry to demonstrate that NK/ILC/T and B lineages are under fundamentally distinct modes of regulation."

Authors: Alhaj Hussen K,Chabaane E,Nelson E,Lekiashvili S,Diop S,Keita S,Evrard B,Lardenois A,Delord M,Verhoeyen E,Cornils K,Kasraian Z,Macintyre EA,Cumano A,Garrick D,Goodhardt M,Andrieu GP,Asnafi V,Chalmel F,Canque B

Year 2023

Species Human

Mucosal immunology

Oral cholera vaccination promotes homing of IgA⁺ memory B cells to the large intestine and the respiratory tract.

"25-5867 was used in Flow cytometry/Cell sorting to reveal how the oral cholera vaccination can affect immune responses in other mucosal tissues, including the respiratory tract."

Authors: van Splunter M,van Hoffen E,Floris-Vollenbroek EG,Timmerman H,de Bos EL,Meijer B,Ulfman LH,Witteman B, Wells JM,Brugman S,Savelkoul HFJ,van Neerven RJJ

Year 2018

Species Human

View more Flow references on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation,"), No claim of subspiced to normal, proper and intended usage. This warranty goes not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general special and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CORPORIMO PRODUCTS DURING THE WARRANTY PERFIOI DIS LIMITACE COR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OPTION, THERE IS NO OBLICATION TO REPAIR, REPLACE OR REFUND FOR THE RON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS IN A M