



Think ahead.

Tork Basic Paper 2 Ply

128107



Description

The Tork Basic Paper 2 Ply is ideal for basic wiping tasks, handwiping and when cost efficiency is important. This paper can be used in the Tork® Centrefeed dispenser, which is a high capacity versatile solution for professional environments where both hand and surface wiping is required.

- Unrestricted flow feature allows users to take as much as their tasks needs
- Easy core removal
- Universal
- 100% recycled
- Multipurpose

Certifications



Tork
Universal

Product Details

Number of Sheets	429
Roll width	18 cm
Roll diameter	19 cm
Core inside diameter	5.9 cm
Print	No
Sheet length	35 cm
Ply	2
Roll length	150.15 m
System	M2
Color	Blue

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540397307	7322540398113	7322541267784
Packaging Material	none	Plastic	-
Pieces	1	6 (6 CON)	210 (35 TRP)
Height	180 mm	180 mm	1,421 mm
Length	190 mm	570 mm	1,200 mm
Width	190 mm	380 mm	1,000 mm
Gross Weight	915.47 g	5.54 kg	194.04 kg
Net Weight	891.89 g	5.35 kg	187.3 kg
Volume	6.5 dm3	38.99 dm3	1.36 m3
Layers Per Pallet	-	-	7
TRP Per Layer	-	-	5

Compatible Products



Tork Centrefeed Dispenser White
559000



Tork Centrefeed Dispenser Black
559008



Tork Centrefeed Dispenser Turquoise
659000



Tork Centrefeed Dispenser Red/Smoke
659008

Environmental Information

Content	The product is made from Recycled fibres Chemicals The packaging material is made from paper or plastic.
Material	Recycled fibres Recycling of paper is an efficient use of resources as the wood fibres are used more than once. High demands are put on quality and purity of recovered paper, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products. Recycled fibres can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities. Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and colour of the pulp.Bleaching of the recycled fibre pulp is done using chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite). Some of our products are bleached and some are not. For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: - Wet strength agents (for Wipers and Hand Towels) - Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers) - For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added - For printed products printing inks (pigments with carriers and fixatives) are applied - For multi ply products we often use water soluble glue to secure the integrity of the product In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper. We do not use softeners for professional hygiene products. High product quality is secured through quality and hygiene management systems throughout production, storage and transport. In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids: - defoamers (surfactants and dispersing agents) - pH-control (sodium hydroxide and sulphuric acid) - retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss) - Coating chemicals (that help to control the creping of the paper to make it soft and absorbent) To reuse broke and to utilise recovered fibres we use: - Pulping aid (chemicals that help to repulp wet strong paper) - Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper) - Bleaching agents (to increase the brightness of pulp from recovered paper) In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.
Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact

	surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified with the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC® with certificate number SA-COC-008266.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 10-12-2021 Revision date: 08-05-2025
Production	This product is produced at Skelmersdale - GB mill and certified according to ISO 9001, ISO 14001 (Environmental management systems), ISO 45001 and FSC Chain-Of-Custody.
Disposal/destruction of used product	This product is used both for personal hygiene and for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destruted. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction. When used for personal hygiene it can be collected together with household waste.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom