Page 1 of 3

OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION PALCAM AGAR BASE CM0877

grams ner litre

PALCAM AGAR BASE

CM0877

Typical Formula*

	grains per nue
Columbia Blood Agar Base	39.0
Yeast extract	3.0
Glucose	0.5
Aesculin	0.8
Ferric ammonium citrate	0.5
Mannitol	10.0
Phenol red	0.08
Lithium chloride	15.0

* adjusted as required to meet performance standards

Directions

Suspend 34.5g in 500ml of distilled water. Bring to the boil to dissolve completely. Sterilize by autoclaving at 121°C for 15 minutes. Cool to 50°C and aseptically add the contents of 1 vial of PALCAM Selective Supplement (SR0150E) reconstituted as directed. Mix well and pour into sterile Petri dishes.

Physical Characteristics

Straw/pink, free-flowing powder Colour on reconstitution - red Moisture level - less than or equal to 7% pH - 7.2 ± 0.2 at 25°C Clarity - clear Gel strength - firm, comparable to 10.0g/litre of agar

Microbiological Tests Using Optimum Inoculum Dilution

Control Medium: Columbia Blood Agar Base enriched with 5% v/v horse blood

Reactions after incubation at 37°C for 48 hours under microaerophilic conditions

Tested with the addition of PALCAM Selective Supplement SR0150

Medium is challenged with 10-100 colony-forming units

Listeria monocytogenes	ATCC [®] 7644	0.5-2mm brown/black colonies and halo
Listeria monocytogenes	ATCC®13932	0.5-2mm brown/black colonies and halo



Document Owner Department: QC

OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION PALCAM AGAR BASE CM0877

A satisfactory result is represented by recovery of positive strains equal to or greater than 50% of the control medium.

Medium is challenged with 1E+04 to 1E+06 colony-forming units

Enterococcus faecalis	ATCC [®] 29212	No growth
Enterococcus faecalis	ATCC®19433	No growth
Staphylococcus aureus	ATCC [®] 25923	No growth
Escherichia coli	ATCC [®] 25922	No growth
Escherichia coli	ATCC [®] 8739	No growth

Negative strains are inhibited.

Reactions after incubation at 37°C for 48 hours under aerobic conditions

Tested with the addition of PALCAM Selective Supplement SR0150

Medium is challenged with 10-100 colony-forming units

Listeria monocytogenes	ATCC [®] 7644	0.5-2mm brown/black colonies and halo
Listeria monocytogenes	ATCC®13932	0.5-2mm brown/black colonies and halo

A satisfactory result is represented by recovery of positive strains equal to or greater than 50% of the control medium.



Page 3 of 3

OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION

PALCAM AGAR BASE CM0877

Revision History

Section / Step	Description of Change	Reason for Change	Reference
Microbiological characteristics	, , , ,	Change control	MOC-2024- 0712
	Added section for reactions under aerobic conditions		