

Proteinase K (recombinant), PCR grade

Catalog Number EO0491, EO0492

Pub. No. MAN0012880 Rev. D.00



WARNING! Read the Safety Data Sheets (SDSs) and follow the handling instructions. Wear appropriate protective eyewear, clothing, and gloves. Safety Data Sheets (SDSs) are available from [thermofisher.com/support](https://www.thermofisher.com/support).

Product description

Proteinase K is an endolytic protease that cleaves peptide bonds at the carboxylic sides of aliphatic, aromatic or hydrophobic amino acids. The Proteinase K is classified as a serine protease (1). The smallest peptide to be hydrolyzed by this enzyme is a tetrapeptide.

Contents and storage

Cat. No.	Contents	Source	Molecular Weight	Amount	Storage
EO0491	Proteinase K (recombinant), PCR grade	Pichia pastoris cells with a cloned gene from <i>Tritirachium album</i>	28.9 kDa monomer (6)	1 mL, ≥ 600 U/mL (~20 mg/mL)	-25 °C to -15 °C
EO0492				5 x 1 mL, ≥ 600 U/mL (~20 mg/mL)	

Applications

- Isolation of genomic DNA from mouse tail.
- Isolation of genomic DNA from cultured cells.
- Removal of DNases and RNases when isolating DNA and RNA from tissues or cell lines (2, 3).
- Determination of enzyme localization (4).
- Improving cloning efficiency of PCR products (5).

Definition of Activity Unit

One unit of the enzyme liberates Folin-positive amino acids and peptides corresponding to 1 μmol tyrosine in 1 min at 37 °C using denatured hemoglobin as substrate. Enzyme activity is assayed in the following mixture: 0.08 M potassium phosphate (pH 7.5), 5 M urea, 4 mM NaCl, 3 mM CaCl₂ and 16.7 mg/mL hemoglobin.

Storage Buffer

The enzyme is supplied in: 10 mM Tris-HCl (pH 7.5), containing calcium acetate and 50 % (v/v) glycerol.

Inhibition and Inactivation

- Phenylmethylsulfonyl fluoride and diisopropyl phosphorofluoridate completely inhibit the enzyme (1).
- Proteinase K is not inactivated by metal chelators, by thiol-reactive reagents or by specific trypsin and chymotrypsin inhibitors.

Note

- The recommended working concentration for Proteinase K is 0.05-1 mg/mL. The activity of the enzyme is stimulated by 0.2-1 % SDS or by 1-4 M urea (3).
- Ca²⁺ protects Proteinase K against autolysis, increases the thermal stability and has a regulatory function for the substrate binding site of Proteinase K (7).
- Stable over a wide pH range: 4.0-12.5, optimum pH 7.5-8.0 (8).

References

1. Ebeling, W., et al., Proteinase K from *Tritirachium album* Limber, *Eur. J. Biochem.*, 47, 91-97, 1974.
2. Wiegers, U., Hilz, H., A new method using 'proteinase K' to prevent mRNA degradation during isolation from HeLa cells, *Biochem. and Biophys. Res. Commun.*, 44, 513-519, 1971.
3. Hilz, H., et al., Stimulation of proteinase K action by denaturing agents: application to the isolation of nucleic acids and the degradation of "masked" proteins, *Eur. J. Biochem.*, 56, 103-108, 1975.
4. Brdiczka, D. and Krebs, W., Localization of enzymes by means of proteases, *Biochim. Biophys. Acta*, 297, 203-212, 1973.
5. Crowe, J.S., et al., Improved cloning efficiency of polymerase chain reaction (PCR) products after proteinase K digestion, *Nucleic Acids Res.*, 19,184, 1991.
6. Jany, K.D., et al., Amino acid sequence of Proteinase K from mold *Tritirachium album* Limber Proteinase K – a subtilisin related enzyme with disulfide bonds, *FEBS Lett.*, 199, 139-144, 1986.
7. Bajorath, J., et al., The enzymatic activity of proteinase K is controlled by calcium, *Eur. J. Biochem.*, 176, 441-447, 1988.
8. Ardelt, W., Laskowski, M.Jr., Turkey ovomucoid third domain inhibits eight different serine proteinases of varied specificity of the same ...Leu18-Glu19... reactive site, *Biochemistry*, 24, 5313-5320, 1985.

Limited product warranty

Life Technologies Corporation and/or its affiliate(s) warrant their products as set forth in the Life Technologies' General Terms and Conditions of Sale at www.thermofisher.com/us/en/home/global/terms-and-conditions.html. If you have any questions, please contact Life Technologies at www.thermofisher.com/support.



Thermo Fisher Scientific Baltics UAB | V.A. Graiciuno 8, LT-02241 Vilnius, Lithuania
For descriptions of symbols on product labels or product documents, go to thermofisher.com/symbols-definition.

The information in this guide is subject to change without notice.

DISCLAIMER: TO THE EXTENT ALLOWED BY LAW, THERMO FISHER SCIENTIFIC INC. AND/OR ITS AFFILIATE(S) WILL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, INDIRECT, PUNITIVE, MULTIPLE, OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM THIS DOCUMENT, INCLUDING YOUR USE OF IT.

Important Licensing Information: These products may be covered by one or more Limited Use Label Licenses. By use of this product, you accept the terms and conditions of all applicable Limited Use Label Licenses.

©2019 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified.