Thermo Fisher

OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION

PSEUDOMONAS CETRIMIDE AGAR (USP, EP) CM0579

PSEUDOMONAS CETRIMIDE AGAR (USP, EP)

CM0579

Typical Formula*

Gelatin peptone	grams per litre	20.0
Magnesium chloride		1.4
Potassium sulphate		10.0
Cetrimide		0.3
Agar		13.6

* adjusted as required to meet performance standards

Directions

Suspend 45.3g in 1 litre of distilled water. Add 10ml of glycerol. Bring to the boil to dissolve completely. Sterilize by autoclaving at 121°C for 15 minutes. Cool to 50°C. Mix well and pour into sterile Petri dishes.

Physical Characteristics

Straw, free-flowing powder Colour on reconstitution - straw 1-2 Moisture level - less than or equal to 7% pH 7.2 ± 0.2 at 25°C Clarity - clear Gel strength - firm, comparable to 13.6g/litre of agar

Microbiological Tests Using Optimum Inoculum Dilution

Control Medium: Tryptone Soya Agar

Tested in accordance with current USP/EP

Reactions after incubation at 32.5°C for 18 hours

Medium is challenged with 50-100 colony-forming units

Pseudomonas aeruginosa ATCC®9027 0.25-1mm colonies

A satisfactory result is represented by recovery of positive strains equal to or greater than 60% of the control medium.

Thermo Fisher

OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION PSEUDOMONAS CETRIMIDE AGAR (USP, EP) CM0579

Reactions after incubation at 32.5°C for 48 hours

Medium is challenged with 50-100 colony-forming units

Pseudomonas aeruginosa ATCC[®]9027 Fluorescent, green colonies

Reactions after incubation at 32.5°C for 72 hours

Medium is challenged with 1E+02 to 1E+03 colony-forming units

Salmonella typhimurium ATCC[®]14028 No growth or 2-8mm white colonies

Negative strains are inhibited or shall produce at least a 1 log(10) reduction when compared to the control medium.

Medium is challenged with >1E+04 colony-forming units

Escherichia coli ATCC[®]8739 No growth or 2-8mm straw colonies

Negative strains are inhibited or shall produce at least a 3 log(10) reduction when compared to the control medium.

Medium is challenged with 1E+04 to 1E+06 colony-forming units

Proteus mirabilis	ATCC [®] 12453	No growth
Staphylococcus aureus	ATCC [®] 6538	No growth

Negative strains are inhibited.

Additional challenging strains are employed.

Thermo Fisher

BT-SPEC-0173

Page 3 of 3

OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION

PSEUDOMONAS CETRIMIDE AGAR (USP, EP) CM0579

Revision History

Section / Step	Description of Change	Reason for Change	Reference
Entire Document	Reformatting to new template Update to test specification	Change control	BT-CC-1477
Reactions after incubation at 32.5°C for 72 hours	Salmonella abony NCTC6017 changed to Salmonella typhimurium ATCC®14028	Change control	BT-CC-2532