


VWR® Nitrogen determination according to Kjeldahl

01. KJELDAHL CATALYSTS RANGE

02. ACIDS FOR DIGESTION

03. ALKALIS AND READY TO USE SOLUTIONS FOR NEUTRALISATION AND DISTILLATION

04. VOLUMETRIC SOLUTIONS FOR DIRECT AND BACK TITRATION



Nitrogen determination according to Kjeldahl is easier with VWR!

- Wide range of catalysts available
- Different sizes of tablet available from 1 to 5 g
- Easy to use tablet format

Kjeldahl catalysts

More than 130 years ago, Johan Kjeldahl, a research analyst from the Carlsberg Breweries in Denmark, developed a method for the determination of nitrogen in samples of biological origin, i.e. plants and animals. This method is still used in thousands of laboratories in Food and Beverage companies for the analysis of proteins, nitrates, nitrites and other nitrogenated molecules. Kjeldahl nitrogen determinations are performed on a variety of substances such as meat, feed, grain, milk, wastewater and other samples.

The Kjeldahl method maybe broken down in 3 main steps

- Digestion
- Distillation
- Titration

Kjeldahl digestion converts nitrogen compounds (proteins, amines, organic compounds) into ammonia compounds. Free ammonia is released by the addition of caustics, which is then expelled by distillation and subsequently titrated. Kjeldahl catalyst tablets accelerate this reaction.



Today, for your convenience, VWR offers a comprehensive range of 'ready to use' tablets to meet the optimal requirements for the sulphuric acid decomposition phase. This wide range is composed of 20 standard items in different tablet sizes, in a boxes of 100 or 1000 tablets.

Catalyst type	Composition								Tablet size (g)	Cat. No. 100 tbs	Cat. No. 1000 tbs
	K ₂ SO ₄	Na ₂ SO ₄	CuSO ₄	CuSO ₄ , 5H ₂ O	TiO ₂	Se	Silicon antifoams	Aids			
Kjeldahl Catalyst free of mercury and selenium	23,10%	69,30%	1,80%		2,80%			3,00%	3,5	85539.0100	85539.1000
Kjeldahl Catalyst free of mercury and selenium	23,10%	69,30%	1,80%		2,80%			3,00%	5	85540.0100	85540.1000
Kjeldahl Catalyst Missouri	48,30%	48,40%	0,30%					3,00%	5	85541.0100	85541.1000
Kjeldahl Catalyst Wieninger		96,25%	1,50%			1,50%		0,75%	3,5	85542.0100	85542.1000
Kjeldahl Catalyst Wieninger		96,25%	1,50%			1,50%		0,75%	5	85543.0100	85543.1000
Kjeldahl Catalyst PS	100%								5	85544.0100	85544.1000
Kjeldahl Catalyst CX	90,91%			9,09%					5,5	85525.0100	85525.1000
Kjeldahl Catalyst CT	94,34%			2,83%	2,83%				5,3	85526.0100	85526.1000
Kjeldahl Catalyst C	98,04%			1,96%					5,1	85527.0100	85527.1000
Kjeldahl Catalyst TCT	94,34%			2,83%	2,83%				3,71	85528.0100	85528.1000
Kjeldahl Catalyst CK	89,74%			10,26%					3,9	85529.0100	85529.1000
Kjeldahl Catalyst ST	99,9%					0,1%			3,5	85530.0100	85530.1000
Kjeldahl Catalyst CTQ	94,34%			2,83%	2,83%				1,59	85531.0100	85531.1000
Kjeldahl Catalyst Antifoam		97,0%					3,0%		1	85532.0100	85532.1000
Kjeldahl Catalyst NAS		95,24%				4,76%			1,05	85533.0100	85533.1000
Kjeldahl Catalyst S	99,9%					0,1%			5,005	85534.0100	85534.1000
Kjeldahl Catalyst KS	99,01%					0,99%			5,05	85535.0100	85535.1000
Kjeldahl Catalyst W K150	97,50%			1,50%		1,00%			5	85536.0100	85536.1000
Kjeldahl Catalyst IB61	93,46%			5,62%		0,92%			5	85537.0100	85537.1000
Kjeldahl Catalyst AB04	99,95%			0,05%					5,025	85538.0100	85538.1000



AnalaR NORMAPUR® acids for digestion

Analytical grade reagents – guaranteed specifications for every batch ensuring consistency and reliability.

Acid	Concentration	Grade	Pk	
			1 l	2,5 l
Hydrochloric	37%	AnalaR NORMAPUR® Reag. Ph. Eur.	20252.295	20252.335
	32%	AnalaR NORMAPUR®	20254.310	20254.401
	25%	AnalaR NORMAPUR®	20257.310	20257.401
Sulphuric	98%	AnalaR NORMAPUR®	102765G	102766H
	97%	AnalaR NORMAPUR® for nitrogen determination	85546.290	85546.320
	95%	AnalaR NORMAPUR®	20700.290	20700.320
Anti-bumping granules (250 g)			330093Y	



Alkalis and ready to use solutions for neutralisation and distillation

Substance	Description	Pk			
		1 l or 1 kg	2,5 l	5 l	10 l
Boric acid	AnalaR NORMAPUR®	20185.297	-	20185.360	-
	2% solution	-	-	2733.5000	-
	4% solution	-	-	5792.5000	-
	4% solution with indicator pH 4,5	-	192316H	-	-
	4% solution with indicator	-	-	95097.5000	-
Sodium hydroxide	AnalaR NORMAPUR® ACS, Reag. Ph. Eur.	28244.295	-	28244.364	-
	50% (w/w) solution GPR RECTAPUR®	-	84522.320	-	-
	50% (w/w) solution GPR RECTAPUR®	191543M	-	191546P	-
	35% (w/w) solution GPR RECTAPUR®	28224.296	-	28224.365	-
	32% (w/w) solution AnalaR NORMAPUR® for nitrogen determination	28225.290	28225.324	28225.360	28225.415
	32% (w/w) solution GPR RECTAPUR® for nitrogen determination	-	-	9913.5000	9913.9010
	30% (w/w) solution 40% w/v low in nitrogen	191533K	-	191536N	191537X



Titration

AVS® TITRINORM® products are ready to use solutions for direct or back titration. Concentrated buffers are also available.

AVS® TITRINORM®	Concentration	Pk			
		1 l	2,5 l	5 l (bag-in-box)	10 l (bag-in-box)
Hydrochloric acid solution	0,02 mol/l (0,02N)	98052.296	-	-	-
	0,1 mol/l (0,1N)	31955.293	31955.327	31955.373	31955.407
	0,2 mol/l (0,2N)	31983.290	-	31983.370	-
	0,5 mol/l (0,5N)	31954.290	-	31954.404	-
	1 mol/l (1N)	30024.290	30024.324	30024.370	30024.404
	2 mol/l (2N)	30025.293	30025.320	30025.373	30025.407
Sulphuric acid solution	0,05 mol/l (0,1N)	30150.295	30150.320	30150.375	30150.400
	0,1 mol/l (0,2N)	30145.297	-	-	30145.402
	0,25 mol/l (0,5N)	30143.291	-	-	30143.405
	0,5 mol/l (1N)	30144.294	30144.328	-	30144.408
	1 mol/l (2N)	30149.291	30149.325	30149.371	-
Sodium hydroxide solution	0,1 mol/l (0,1N)	31770.294	-	31770.374	31770.408
	0,2 mol/l (0,2N)	31952.293	-	-	-
	0,25 mol/l (0,25N)	31956.296	-	-	-
	0,5 mol/l (0,5N)	31951.290	-	31951.370	31951.404
	1 mol/l (1N)	31627.290	-	-	31627.404
2 mol/l (2N)	98108.290	-	-	98108.400	

Indicators

Description	Pk (ml)	Cat.No.
Mixed indicator	100	87870.180
Methyl red 0,2 g/l in solution	250	34302.231



Nitrogen-free filters, grade 521

Nitrogen-free filters for determination of nitrogen content in steel and iron samples dissolved in acid. Filtration of fine precipitates to dissolve according Kjeldahl method.

Weight	85 g/m2
Thickness	0,17 mm
Filtration speed	650 s (Hz)

Description	Size (mm)	Pk	Cat.No.
Grade 521	90	100	516-0316
Grade 521	100x100	100	516-0317

Setting science in motion to create a better world



AUSTRIA

VWR International GmbH
Graumannsgasse 7
1150 Wien
Tel.: +43 1 97 002 0
info.at@vwr.com

BELGIUM

VWR International bv
Researchpark Haasrode 2020
Geldenaaksebaan 464
3001 Leuven
Tel.: +32 (0) 16 385 011
vwr.be@vwr.com

CZECH REPUBLIC

VWR International s. r. o.
Veetee Business Park
Pražská 442
CZ - 281 67 Stříbrná Skalice
Tel.: +420 321 570 321
info.cz@vwr.com

DENMARK

VWR International A/S
Tobaksvejen 21
2860 Søborg
Tel.: +45 43 86 87 88
info.dk@vwr.com

FINLAND

VWR International Oy
Valimatie 9
00380 Helsinki
Tel.: +358 (0) 9 80 45 51
info.fi@vwr.com

FRANCE

VWR International S.A.S.
Le Périgares – Bâtiment B
201, rue Carnot
94126 Fontenay-sous-Bois cedex
Tel.: 0 825 02 30 30* (national)
Tel.: +33 (0) 1 45 14 85 00
(international)
info.fr@vwr.com
* 0,18 € TTC/min + prix appel

GERMANY

VWR International GmbH
Hilpertstraße 20a
D - 64295 Darmstadt
Tel.: 0800 702 00 07* (national)
Tel.: +49 (0) 6151 3972 0 (international)
info.de@vwr.com
*Freecall

HUNGARY

VWR International Kft.
Simon László u. 4.
4034 Debrecen
Tel.: +36 52 521130
info.hu@vwr.com

IRELAND

VWR International Ltd
Orion Business Campus
Northwest Business Park
Ballycoolin
Dublin 15
Tel.: +353 (0) 1 88 22 222
sales.ie@vwr.com

ITALY

VWR International S.r.l.
Via San Giusto 85
20153 Milano (MI)
Tel.: +39 02 3320311
info.it@vwr.com

THE NETHERLANDS

VWR International B.V.
Postbus 8198
1005 AD Amsterdam
Tel.: +31 (0) 20 4808 400
info.nl@vwr.com

NORWAY

VWR International AS
Brynsalleen 4,
0667 Oslo
Tel.: +47 22 90 00 00
info.no@vwr.com

POLAND

VWR International Sp. z o.o.
Limbowa 5
80-175 Gdansk
Tel.: +48 58 32 38 200
info.pl@vwr.com

PORTUGAL

VWR International - Material de
Laboratório, Lda
Centro Empresarial de Alfragide
Rua da Indústria, nº 6
2610-088 Amadora
Tel.: +351 21 3600 770
info.pt@vwr.com

SPAIN

VWR International Eurolab S.L.U.
C/ Tecnología 5-17
A-7 Llinars Park
08450 - Llinars del Vallès
Barcelona
Tel.: +34 902 222 897
info.es@vwr.com

SWEDEN

VWR International AB
Fagerstagatan 18a
163 94 Stockholm
Tel.: +46 (0) 8 621 34 00
kundservice.se@vwr.com

SWITZERLAND

VWR International GmbH
Lerzenstrasse 16/18
8953 Dietikon
Tel.: +41 (0) 44 745 13 13
info.ch@vwr.com

UK

VWR International Ltd
Customer Service Centre
Hunter Boulevard - Magna Park
Lutterworth
Leicestershire
LE17 4XN
Tel.: +44 (0) 800 22 33 44
uksales@vwr.com

CHINA

VWR (Shanghai) Co., Ltd
Bld.No.1, No.3728 Jinke Rd,
Pudong New District
Shanghai, 201203- China
Tel.: 400 821 8006
info_china@vwr.com

ÍNDIA

Avantor Performance Materials India
Limited
17th Floor, Building No. 5, Tower C
DLF Cyber City Phase - III
Gurgaon - 122002, Haryana
Tel.: +91-1244-65-6700
help@avantoric.com

KOREA

VWR International -
17, Daehak 4-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do
Tel.: +82 31 645 7256
saleskorea@avantorsciences.com

MIDDLE EAST & AFRICA

VWR International FZ-LLC
Office 203, DSP Lab Complex,
Dubai Science Park,
Dubai, United Arab Emirates
Tel.: +971 4 5573271
Info.mea@vwr.com

SINGAPORE

VWR Singapore Pte Ltd
18 Gul Drive
Singapore 629468
Tel.: +65 6505 0760
sales.sg@vwr.com

GO TO [VWR.COM](https://www.vwr.com) FOR THE LATEST NEWS, SPECIAL OFFERS AND DETAILS FROM YOUR LOCAL VWR SUPPORT TEAM